
#### MD3+ 32 mm Roller Blinds





MD3+ roller blinds system is suitable for small or regular dimensions.

- · Can handle up to 5.5 SQM fabric, 3.2 kg load
- · 4 meters maximum height (manual)
- · Cost-effective and reliable
- · Metal control chain compatible
- · Tested for 10,000 cycles
- · Can be installed in any solution



Trend products comply with EU directives regarding blinds, shades and shutters, EN 14501 Thermal and visual comfort – Performance characteristics and classification", EN 13120 "Internal blinds - Performance requirements including safety"

Fabrics fully support LEED green buildings

Products are 100% environment-friendly and recyclable.

# Fabric Options








- · PVC/PES (standard)
- Fiberglass/PVC
- · New-gen PVC free 100%PES
- · Acoustic Screen
- · Screen with aluminum back cover






## **MD3+32 mm Roller Blinds**




systems explained




4.5 mm wide plastic and metal chains are supported. Both options are standard. Metail chains are stainless nickel. Please refer to the related EN13120 child safety directives, child lock is provided by Trend as standard if needed.



## MD3+ 32 mm Roller Blinds







#### Bottom rail

Ellipse bottom rail (hem bar) is standard, can be fabricconcealed, is suitable for welding sales@trendperde.com.tr trendperde.com.tr 0090 216 327 0727



Technical data cited in this document is subject to change without notice and should be evaluated in accordance with the General Terms & Conditions of Sale of Trend Blinds Istanbul or the technical sections of the contact of the related project and hence is not legally binding.